

BELLSOUTH OPPOSITION

WC DOCKET NO. 02-238


EXHIBIT B

PART 5 OF 13

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

13. Multi-Network - Calling Within a 7 and 10 Digit Dialing Scope

Interoffice (ULS CLEC and FB-CLEC Networks)



Billing Concept

- Unbundled Network Elements
- Local Interconnection

Usage Recordings

- Call Code 001/072 (NOT MBI13) or Call Code 006/072 is made at the End Office. No tandem indicator, no access time, no attempts. No term recording.
- Normal EO recordings appropriate to the type of service will be made.

NOTE: Call code 006 records are related to ELCA plans.

* indicates demarcation between UNE Network and other Networks

BST bills CLEC A at Originating EO

- ULS-LP (loop and port monthly)
- 2 ULS-SF (unbundled switching originating and terminating, summarized at EO A)
- 2 ULS-TPs (end office trunk port)
- UIT-S (unbundled transport - shared, fixed and per mile, mileage from EO A to EO B)
- UTS-SF (unbundled melded tandem switching)
- 2 UTS-TPs (melded tandem trunk ports)

Billing Factors

BST provides CLEC B with PIU & PLU for Local Interconnection billing

Record Exchange


BellSouth sends CLEC A ODUF 10-01-31 (See Local/Toll Exceptions)

FB CLEC B billing

- The Industry has not established how CLEC B may Bill CLEC A for reciprocal compensation. In the interim, BST shall bill the terminating EO switching to CLEC A and pay Reciprocal compensation to CLEC B as such calls appear to be originated by BST end users.

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

14. Multi-Network – Call terminating outside of the originating 7 & 10 digit dialing arrangement but within the lata (i.e. 1+ call) - Interoffice



Billing Concept

- Unbundled Network Elements
- Local Interconnection

Usage Recordings

- Call Code 006 is made at the End Office. No tandem indicator, no access time, no attempts. No term recording.
- Normal EO recordings appropriate to the type of service will be made.

* indicates demarcation between UNE Network and other Networks

BST bills CLEC A

- ULS-LP (loop and port monthly)
- 2 ULS-SFs (unbundled switching - originating and terminating, summarized at originating EO A)
- 2 ULS-TPs (end office trunk ports)
- UIT-S (unbundled transport-shared, fixed and per mile, mileage calculated from EO A to EO B)
- UTS-SF (unbundled melded tandem switching)
- 2 UTS-TPs (melded tandem trunk ports)

FB CLEC B Billing

- The Industry has not established how CLEC B may Bill CLEC A for reciprocal compensation. In the interim, BST shall bill the terminating EO switching to CLEC A and pay Reciprocal compensation to CLEC B as such calls appear to be originated by BST end users.

Billing Factors

- N/A

Record Exchange

BellSouth sends CLEC A ODUF 10-01-01

Note: CLEC A must LPIC BST in order for BellSouth to transport and terminate this call. Appropriate terms and conditions must be contained within the CLEC/BellSouth Interconnection Agreement in order for BellSouth to provide this functionality to the CLEC.


UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #15 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

15A. Multi-Network – Calling Within a 7 and 10 Digit Dialing Scope

Interoffice



Billing Concept

- Unbundled Network Elements
- Interconnection

Usage Recordings

- Call Code 001/072 is made at originating End Office.
(if direct routing exists, still use melded since 001 cannot indicate tandem vs. direct routing)

* indicates demarcation between UNE Network and other Networks

- BST bills CLEC A** Franchise Boundary
- ULS-LP (loop and port monthly)
 - 1 ULS-SF (unbundled switching originating, summarized at EO A)
 - 1 ULS-TPs (end office trunk port)
 - UIT-S (unbundled transport - shared, fixed and per mile, mileage from EO A to BST local tandem) Note: use default of 0 miles since do not know meet point, using mileage to local tandem, but since no mapping of EO to local tandems will now have default of 0 miles since EO & some local tandems are co-located)
 - UTS-SF (unbundled melded tandem switching)
 - 1 UTS-TPs (melded tandem trunk ports)

Billing Factors

- NA

Record Exchange


BellSouth sends CLEC A ODUF 10-01-31
(See Local/Toll Exceptions)

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #16 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

17. BST-Network - Calling Within a 7 and 10 Digit Dialing Scope Type I - Intraoffice/IntraSwitch



Billing Concept

- Unbundled Network Elements
- Interconnection

Usage Recordings

- Call Code 001/072 is made at the End Office.

BST bills CLEC A

- ULS-LP (loop and port monthly)
- 1 ULS-SFs (unbundled switching - originating)

WCO bills BST

- Reciprocal compensation is not be billed to BST by the WCO.

WCO Type I END USER



Billing Factors

- NA

Record Exchange


BellSouth sends CLEC A ODUF 10-01-31
(See Local/Toll Exceptions)
10-01-01 is sent to CLEC A if WCO
NPA-NXX is Land-to-Mobile

* indicates demarcation between UNE Network and other Networks

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

17A. BST Network - Calling Within a 7 and 10 Digit Dialing Scope

Type I - Intraoffice/InterSwitch



Billing Concept

- Unbundled Network Elements

Usage Recordings

- Call Code 001/072 (NOT MBI13) is made at the End Office. No tandem indicator, no access time, no attempts. No term recording.
- Normal EO recordings appropriate to the type of service will be made.

* indicates demarcation between UNE Network and other Networks

BST bills CLEC A

- ULS-LP (loop and port monthly)
- 2 ULS-SFs (unbundled switching - originating and terminating, summarized at originating EO A)
- 2 ULS-TPs (trunk ports)
- UIT-S (unbundled transport, fixed, mileage calculated from EO A to EO B) (zero transport miles)

WCO bills BST

- Reciprocal compensation is not be billed to BST by the WCO.

Billing Factors

- NA


Record Exchange

BellSouth sends CLEC A ODUF 10-01-31
(See Local/Toll Exceptions)
10-01-01 is sent to CLEC A if WCO NPA-NXX is Land-to-Mobile

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

18. BST-Network - Calling Within a 7 and 10 Digit Dialing Scope

Type I Interoffice



Billing Concept

- Unbundled Network Elements
- WCO Interconnection

Usage Recordings

- Call Code 001/006/072 is made at originating End Office
- no tandem indicator

BST bills CLEC A

- ULS-LP (loop and port monthly)
- 2 ULS-SFs (unbundled local switching - originating, summarized at originating EO A)
- 2 ULS-TP (end office trunk ports)
- UIT-S (unbundled transport - shared, fixed and per mile, mileage from EO A to EO B)
- UTS-SF (unbundled melded tandem switching)
- 2 UTS-TPs (melded tandem trunk ports)

Billing Factors

- NA

Record Exchange

- BellSouth sends CLEC A ODUF 10-01-31 (See Local/Toll Exceptions)
- 10-01-01 is sent to CLEC A if WCO
- NPA-NXX is Land-to-Mobile

* indicates demarcation between UNE Network and other Networks


WCO bills BST

- Reciprocal compensation is not be billed to BST by the WCO.

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

19. Multi-Network - Calling Within a 7 and 10 Digit Dialing Scope

Type II-A



Billing Concept

- Unbundled Network Elements
- WCO Interconnection

Usage Recordings

- Call Code 001/006/072 is made at originating End Office

No tandem indicator but entire NPA/NXX is wireless in Type 2 and Type 2 connects only at tandems

BST bills CLEC A

- ULS-LP (loop and port monthly)
- 1 ULS-SFs (unbundled local switching - originating)
- 1 ULS-TPs (end office trunk ports)
- UIT-S (unbundled transport - shared, fixed and per mile , mileage from EO A to MTSO)
- UTS-SF (full rate unbundled tandem switching)
- 2 UTS-TPs (full rate tandem trunk ports)

WCO bills BST

- Reciprocal compensation is not be billed to BST by the WCO.

Billing Factors


- NA

Record Exchange

BellSouth sends CLEC A ODUF 10-01-31 (See Local/Toll Exceptions)
10-01-01 is sent to CLEC A if WCO
NPA-NXX is Land-to-Mobile
* indicates demarcation between UNE Network and other Networks

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

19a. Multi-Network - Calling Within a 7 and 10 Digit Dialing Scope Type II-B



Billing Concept

- Unbundled Network Elements
- WCO Interconnection - Type 2B where WCO purchases trunk from EOA to MTSO

Usage Recordings

- Call Code 001/006/072 is made at originating End Office

BST bills CLEC A

- ULS-LP (loop and port monthly)
- 1 ULS-SFs (unbundled local switching - originating)

WCO bills BST

- Reciprocal compensation is not be billed to BST by the WCO.

Billing Factors

- NA


Record Exchange

BellSouth sends CLEC A ODUF 10-01-31 (See Local/Toll Exceptions)
10-01-01 is sent to CLEC A if WCO
NPA-NXX is Land-to-Mobile

* indicates demarcation between UNE Network and other Networks

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

20. Multi-Network - Call terminating outside of the originating 7 & 10 digit dialing arrangement but within the lata (i.e. 1+ call) – Interoffice - Type I



Billing Concept

- Unbundled Network Elements
- WCO Interconnection

Usage Recordings

- Call Code 006 is made at originating End Office A

* indicates demarcation between UNE Network and other Networks

BST bills CLEC A at Originating EO

- ULS-LP (loop and port monthly)
- 2 ULS-SFs (unbundled local switching - originating, summarized at originating EO A)
- 2 ULS-TP (end office trunk ports)
- UIT-S (unbundled transport - shared, fixed and per mile, mileage from EO A to EO B)
- UTS-SF (unbundled melded tandem switching)
- 2 UTS-TPs (melded tandem trunk ports)

Billing Factors

- NA

Record Exchange

- BellSouth sends CLEC A ODUF 10-01-31 (See Local/Toll Exceptions)
- 10-01-01 is sent to CLEC A if WCO NPA-NXX is Land-to-Mobile


WCO bills BST

- Reciprocal Compensation is not be billed to BST by the WCO

Note: CLEC A must LPIC BST in order for BellSouth to transport and terminate this call. Appropriate terms and conditions must be contained within the CLEC/BellSouth Interconnection Agreement in order for BellSouth to provide this functionality to the CLEC.

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

21. Multi-Network - Call terminating outside of the originating 7 & 10 digit dialing arrangement but within the lata (i.e. 1+ call) – Interoffice - Type II-A



Billing Concept

- Unbundled Network Elements
- WCO Interconnection
- Usage Recordings**
- Call Code 006 is made at originating End Office (can involve multiple tandems)
- non-BST UNE originated TNs should be excluded from Land-to-Mobile screening for reverse billing retail service
- Entire NPA/NNX is wireless for Type 2, which only connects at tandems

BST bills CLEC A at originating EO

- ULS-LP (loop and port monthly recurring)
- 1 ULS-SFs (unbundled local switching - originating)
- 1 ULS-TPs (end office trunk ports)
- UIT-S (unbundled transport - shared, fixed and per mile, mileage from EO A to MTSO)
- UTS-SF (full rate unbundled tandem switching)
- 2 UTS-TPs (full rate tandem trunk ports)

Billing Factors

- NA

Record Exchange

BellSouth sends CLEC A ODUF 10-01-01

* indicates demarcation between UNE Network and other Networks

WCO bills BST


- Local Interconnection is not to be billed to BST by the WCO

Note: CLEC A must LPIC BST in order for BellSouth to transport and terminate this call. Appropriate terms and conditions must be contained within the CLEC/BellSouth Interconnection Agreement in order for BellSouth to provide this functionality to the CLEC

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

22. INTERSTATE / INTRASTATE ACCESS CALLING

(Access Reform) Multi-Network Interoffice



Billing Concept

- Access Reform
 - Unbundled Network Elements
- Note that this call flow applies to intralata toll with non-BST LPIC

Usage Recordings

- Call Code 110/117 on FGD
- Call Code 134 on FGB

- BST bills CLEC A**
- ULS-LP (loop and port monthly)
 - ULS-SF (unbundled switching - originating)
- Charges below apply if IXC tandem routed
- ULS-TP (end office trunk ports)
 - UIT-S (unbundled transport - shared, mileage from BST EO and BST AT, fixed and per mile)
 - UTS-TP (unbundled full rate tandem trunk ports)
 - UTS-SF (unbundled full rate tandem switching)

CLEC A bills IXC

- Originating Access as agreed upon between CLEC A & IXC

BST bills IXC

- Dedicated Switched Local Channel (Entrance Facility)
- Dedicated Switched Transport (between POP SWC and UNE CLEC EO) if direct routed, dedicated transport (between POP SWC and Access Tandem) if tandem routed

Billing Factors

- IXC will provide PIUs to BST and CLEC A

Record Exchange

BellSouth sends CLEC A ADUF
Originating 11-01-01

Demarcation Point between UNE Network and IXC Network

Access Tandem Switch if tandem
Terminating End office Switch
(trunk side) if direct

* indicates demarcation between UNE Network and other Networks

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #23 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS


Slide #24 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #25 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

26. Multi-Network – Local Calling - Interoffice



Billing Concept

- Local Interconnection

Usage Recordings

- Call Code 119, 066, or 720

BST bills CLEC A

- ULS-LP (loop and port monthly)
- ULS-SF (unbundled local switching - terminating) IF tandem routed (local or access)
- ULS-TP (unbundled end office trunk ports)
- UIT-S (unbundled transport - shared between BST EO and BST AT or local tandem, fixed and per mile/mileage from BST AT associated with CLEC B EO to BST EO)
- UTS-TP (unbundled full rate tandem trunk port)
- UTS-SF (unbundled full rate tandem switching)

CLEC A bills CLEC B

- Local Interconnection / charges per agreement

Billing Factors

- CLEC B provides CLEC A a PIU & PLU


Record Exchange

BellSouth sends CLEC A
ADUF Terminating 11-01-01

* indicates demarcation between UNE Network and other Networks

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

27. Multi-Network - Intralata Toll Calling - Interoffice



Billing Concept

- #### -- Local Interconnection

Usage Recordings

- Call Code 119, 066, or 720

* indicates demarcation between UNE Network and other Networks

BST bills UNE CLEC A

- ULS-LP (loop and port monthly)
 - ULS-SF (unbundled local switching - terminating)
IF tandem routed
 - ULS-TP (unbundled end office trunk ports)
 - UIT-S (unbundled transport - shared between
BST EO and BST AT, fixed and per mile,mileage
from BST AT associated with CLEC B EO to
BST EO)
 - UTS-TP (unbundled full rate tandem trunk port)
 - UTS-SF (unbundled full rate tandem switching)

Billing Factors

- FB CLEC B provides PIU and PLU to CLEC A

Record Exchange


BellSouth sends CLEC A ADUF Terminating 11-01-01

CLEC A bills CLEC B

- Access as agreed upon between CLEC A
and CLEC B

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

28. Multi-Network – Local Calling - Interoffice



Billing Concept

- Unbundled Network Elements
- Interconnection

Usage Recordings

- Call Code 720
(from BST Local Tandem) or NA*
CC720 has tandem indicator
(drop any interlata calls since there is
also a CC119 which is used to bill)

BST bills UNE CLEC A

- ULS-LP (loop and port monthly)
- ULS-SF (unbundled local switching - terminating
IF tandem routed (local or access))
- ULS-TP (unbundled end office trunk ports)
- UIT-S (unbundled transport - shared between
BST EO and BST Tandem, fixed and per mile,
mileage from BST Tandem to BST EO)
- 2 UTS-TP (unbundled full rate tandem trunk port)
- UTS-SF (unbundled full rate tandem switching)

Billing Factors

- N/A

Record Exchange


- BellSouth sends CLEC A
ADUF Terminating 11-01-01
(CIC of 000 should
be in this record)

* indicates demarcation between UNE Network and other Networks

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

29. Multi-Network IntraLATA Toll CALLING

Interoffice



Billing Concept

- Unbundled Network Elements
- Interconnection

Usage Recordings

- Call Code 720 (from BST Access Tandem) or NA*
(CC720 made even if pre-subscribed LPIC - any interlata CC720 is dropped since assume CC119 used to bill)

BST bills UNE CLEC A

- ULS-LP (loop and port monthly)
- ULS-SF (unbundled local switching - terminating)
IF tandem routed
 - ULS-TP (unbundled end office trunk ports)
 - UIT-S (unbundled transport - shared between BST EO and BST Access Tandem, fixed and per mile, mileage from BST Access Tandem to BST EO)
 - 2 UTS-TP (unbundled full rate tandem trunk port)
 - UTS-SF (unbundled full rate tandem switching)

BST/ICO Settlements apply

ICO puts call into settlements process - can be PCP/ORP Plans

CLEC A may bill ICO

- Local Interconnection charges per agreement.

Billing Factors

- N/A

Record Exchange

BellSouth sends CLEC A ADUF Terminating 11-01-01
(CIC of 0000 should be in this record)

* indicates demarcation between UNE Network and other Networks

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #30 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #31. Left Blank Intentionally

Slide #32. Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #32a. Left Blank Intentionally


UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

33. INTERSTATE / INTRASTATE ACCESS CALLING

(Access Reform)

Multi-Network Interoffice

Revised 09/21/99



Billing Concept

- Unbundled Network Elements
- Access Reform

Usage Recordings

- Call Code 119 on FG D
- Call Code 135 on FG B

BST bills CLEC A

- ULS-LP (loop and port monthly)
- ULS-SF (unbundled switching - terminating EO)
- Charges below apply if IXC tandem routed
- ULS-TP (end office trunk port)
- UIT-S (unbundled transport - shared, mileage from BST EO and BST AT)
- UTS-TP (Full Tandem trunk Port)
- UTS-SF (unbundled full tandem switching)

CLEC A may bill IXC

- Terminating Access as agreed upon between CLEC A & IXC

BST bills IXC

- BST portion of dedicated switched transport from IXC POP to BST AT if tandem-routed or BST portion of dedicated transport from IXC POP to CLEC EO if direct

Billing Factors

- IXC must provide terminating PIUs and possibly PLU to BST and CLEC A

Record Exchange

- BellSouth sends CLEC A ADUF Terminating 11-01-01

* indicates demarcation between UNE Network and other Networks

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #34 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS


Slide #35 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #36 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

37. BST Network Intralata 800 - Intraoffice/Intraswitch



Billing Concept

- End office capable of data base queries
- Unbundled Network Elements
- Terminating Party Pays Services
(Includes 800 Services)

Usage Recordings

- Call Code 142 for 800 is made at the
End Office (no tandem indicator)

BST bills CLEC A

- ULS-LP (Loop and port monthly)
- ULS-SF (unbundled local switching - originating)
- 800 Data Base Dip

BST bills BST 800 Number

- CRIS bills Terminating Party Pays

CLEC A may bill BST

- Originating Access (LT, EO, CCL)
- 800 Data Base Dip

Billing Factors

- N/A


Record Exchange

BellSouth sends CLEC A
ADUF 11-01-25
(CIC of 5124)

* indicates demarcation between UNE
Network and other Networks

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

37a. BST Network Intralata 800 - Intraoffice/Interswitch



Billing Concept

- End office capable of data base queries
- Unbundled Network Elements
- Terminating Party Pays Services (Includes 800 Services)

Usage Recordings

- Call Code 142 for 800 is made at the End Office (no tandem indicator)

BST bills CLEC A

- ULS-LP (Loop and port monthly)
- 1 ULS-SF (unbundled local switching - originating)
- 1 ULS-TPs (end office trunk ports)
- UIT-S (unbundled transport - shared, fixed and per mile , mileage from Switch A to Switch B - zero transport miles)
- 800 Data Base Dip

BST bills BST 800 Number

- CRIS bills Terminating Party Pays

CLEC A may bill BST

- Originating Access (LT, EO, CCL)
- 800 Data Base Dip

Billing Factors

- N/A


Record Exchange

BellSouth sends CLEC A ADUF 11-01-25 (CIC of 5124)

* indicates demarcation between UNE Network and other Networks

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

38. BST Network Intralata 800 - Interoffice



Billing Concept

- capable of data base queries
- Unbundled Network Elements
- Terminating Party Pays Services
(Includes 800 Services)

Usage Recordings

- Call Code 142 for 800 is made at the End Office (no tandem indicator)

BST bills CLECA

- ULS-LP (Loop and port monthly)
- 1 ULS-SF (unbundled local switching originating summarized at originating EO A)
- UIT-S (unbundled shared transport, fixed & per mile, mileage from BST EO A to BST EO B)
- 1 ULS-TP (end office trunk port)
- UTS-SF (melded tandem switching)
- 2 UTS-TP (melded tandem trunk ports)
- 800 Data Base Dip

BST bills BST 800 Number

- CRIS bills Terminating Party Pays

CLEC A may bill BST

- Originating Access (LT, EO, CCL)
- 800 Data Base Dip

Billing Factors

- N/A


Record Exchange

- BellSouth sends CLEC A ADUF 11-01-25 (CIC of 5124)

* indicates demarcation between UNE Network and other Networks

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

38A. Multi-Network Intralata 800 - Interoffice



Billing Concept

- Meet point billing
- BST EO capable of data base queries
- Unbundled Network Elements
- Terminating Party Pays Services
(Includes 800 Services)

Note: UNE cannot be used for intralata 800

Usage Recordings

- Call Code 142 for 800 is made at the End Office (no tandem indicator)

* indicates demarcation between UNE Network and other Networks

7/15/02

BST bills CLEC A

- ULS-LP (Loop and port monthly)
- ULS-SF (unbundled local switching - originating)
- UIT-S (unbundled shared transport, mileage from BST EO and BST tandem, default to zero miles, see note on right)
- ULS-TP (end office trunk port)
- 2 UTS-TP (melded tandem trunk ports)
- UTS-SF (melded tandem switching)
- 800 Data Base Dip

ICO bills ICO EU

- Terminating Party Pays

CLEC A may bill ICO

- Originating Access (LT, EO, CCL)
- 800 Data Base Dip

Billing Factors

- N/A

Record Exchange

BellSouth sends CLEC A ADUF 11-01-25 (CIC of 0000)

BellSouth sends 010125 record to ICO

CLEC A may send EMR 1150XX to BST in error

Note: default UIT-S to zero miles since do not know: if call was tandem routed, meet point with ICO, and that EO and tandem could possibly be co-located

Page 44

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #39 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #40 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #41 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #42 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #43 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #44 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #45 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #46 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS


Slide #47. Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #48. Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

49. BST Network - Interoffice Terminating to BST Official Telephone Numbers



Billing Concept

- Unbundled Network Elements
- Calls to BST Repair are to 557/780

Usage Recordings

- Call Code 001, 006, 072 (005 in 1AESS) is made at the End Office.

No tandem indicator, no access time, no attempts. It does not matter whether the call is local or intralata toll.

Note 1: For 611 calls originating from a Siemens' EWSD switch and if CLEC A has not subscribed to Selective Call Routing via the AIN Platform, BellSouth currently does not have the capability to bill UNE usage elements nor provide DUF records.

BST bills CLEC A

- ULS-LP (loop and port monthly)
- 2 ULS-SF (unbundled local switching, originating and terminating, summarized at originating EO A)
- 2 ULS-TP (end office ports)
- UIT-S unbundled transport - shared, fixed and per mile)
- UTS-SF (unbundled full tandem switching)
- 2 UTS-TP (full tandem trunk ports)

Note 2: use end office and tandem V&H coordinates for mileage since these calls may be routed interstate over corporate Network.

Billing Factors

- NA

Record Exchange

BellSouth sends CLEC A ODUF 10-01-31 or 10-01-01 (see Local Toll Exceptions)
(See exception in note 1)

* indicates demarcation between UNE Network and other Networks

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS


Slide #50 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #51 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

52. BST Network - N11 Calling – Interoffice (excluding 611 in FL, GA, NC and SC)



Billing Concept

- Unbundled Network Elements

Usage Recordings

- Call Code 001 (NOT MBI13) or Call Code 006/072 is made at the End Office.

No tandem indicator, no access time, no attempts. No terminating recording.

- Normal EO recordings appropriate to the type of service will be made.

NOTE: Call code 006 records are related to ELCA plans.

BST bills CLEC A

- ULS-LP (loop and port monthly)
- 1 ULS-SFs (unbundled switching - originating summarized at originating EO A)

Billing Factors

- NA


Record Exchange

BellSouth sends CLEC A ODUF 10-01-18

* indicates demarcation between UNE Network and other Networks

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

52A. BST Network - N11 Calling - Intraoffice/Intraswitch (excluding 611 in FL, GA, NC and SC)



Billing Concept

- Unbundled Network Elements

BST bills CLEC A

- ULS-LP (loop and port monthly)
- ULS-SF (unbundled switching)

Billing Factors

- NA

Usage Recordings

- Call Code 001/072 (NOT MBI13) is made at the End Office. No tandem indicator, no access time, no attempts. No term recording.
- Normal EO recordings appropriate to the type of service will be made.

Record Exchange


BellSouth sends CLEC A
ODUF 10-01-18

* indicates demarcation between UNE Network and other Networks

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

52B. BST Network - N11 - Intraoffice/Interswitch

(excluding 611 in FL, GA, NC and SC)



Billing Concept

- Unbundled Network Elements

Usage Recordings

- Call Code 001/072 (NOT MBI13) is made at the End Office. No tandem indicator, no access time, no attempts. No term recording.
- Normal EO recordings appropriate to the type of service will be made.

BST bills CLEC A

- ULS-LP (loop and port monthly)
- 1 ULS-SFs (unbundled switching - originating, summarized at originating EO A)

Billing Factors

- NA

Record Exchange

BellSouth sends CLEC A ODUF 10-01-18

* indicates demarcation between UNE Network and other Networks


UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

Slide #53 Left Blank Intentionally

UNE PORT/LOOP SWITCHED COMBINATION BILLING ARRANGEMENTS

54. Multi-Network – Calling Within a 7 and 10 Digit Dialing Scope

Intraoffice/Interswitch FB CLEC Switch Co-located in BST CO



Billing Concept

- Unbundled Network Elements
- Assume 1st 8 characters of FB CLEC CLLI code are same as BST EO A

Usage Recordings

- Call Code 001 (NOT MBI13)/CC006/CC072 is made at the End Office A. No tandem indicator, no access time, no attempts. No term recording.

* indicates demarcation between UNE Network and other Networks

BST bills CLEC A

- ULS-LP (loop and port monthly)
- 2 ULS-SFs (unbundled switching - originating, summarized at originating & terminating EO A)
- 2 ULS-TPs (trunk ports)
- UIT-S (unbundled transport, fixed, mileage calculated from EO A to EO B) (zero transport miles since V&H's for EO A and B are the same)

Billing Factors

- NA

Record Exchange

BellSouth sends CLEC A ODUF 10-01-31.
(See Local/Toll Exceptions)

FB CLEC B Billing

---- The Industry has not established how CLEC B may Bill CLEC A for reciprocal compensation. In the interim, BST shall bill the terminating EO switching to CLEC A and pay Reciprocal compensation to CLEC B as such calls appear to be originated by BST end users.